Technical Appendix 10.5: Site Specific Noise Limits

Contents

Appendix 10.5. Site-Specific Noise Limits 1
Introduction 1
Methodology 1
Site-Specific Noise Limits 1
Full Calculation Results 3

Appendix 10.5. Site-Specific Noise Limits

Introduction

A10.5.1 This technical appendix describes the derivation of the site-specific noise limits (SSNLs), against which the predicted operational noise levels of the Proposed Development are assessed to ensure that the wind farm can meet limits when operating alone. The SSNLs take into account cumulative operational noise levels such that it ensures that where the Proposed Development meets the SSNLs. cumulative operational noise levels will also be acceptable. The process of deriving the SSNLs is to subtract (logarithmically) the predicted contribution from other wind turbine developments in the vicinity from the Total Noise Assessment Criteria (TNAC) which are the cumulative noise limits. This results in noise limits that apply to the Proposed Development only, which have been set so that they are not higher than would be applied to the Proposed Development in the situation where there were no cumulative schemes.

A10.5.2 The SSNLs will be enforced via a planning condition to control the operational noise from the Proposed Development at noise-sensitive receptors (NSRs) throughout its lifespan.

A10.5.3 This technical appendix relates solely to the Proposed Development (as defined in **Chapter 4: Development Description** of the EIA Report). The Likely Grid Connection Route (as defined in **Chapter 4**) is addressed in **Chapter 10: Noise and Vibration** of the EIA Report.

Methodology

A10.5.4 The methodology for calculating the SSNLs is described in **Chapter 10** and is summarised below.

- Setting the noise limits at each noise-sensitive receptor at the lowest TNAC at each integer wind speed derived from the baseline noise measurements.
- Assuming that each noise sensitive receptor is simultaneously downwind of all wind turbines which cannot occur in practice;
- Adding an additional 2 dB to the predicted contribution from other wind turbine developments;
- Subtracting the predicted contribution from other wind turbine developments from the cumulative day and night noise limits;
- Setting the day limit no higher than the ARWTN TNAC based on the lowest day LLV (i.e. 35 dB or 5 dB above background);
- Applying the lower of the day and night derived noise limits;
- Limiting noise limits to a maximum of 43 dB L_{A90} (even where background noise levels are higher).

A10.5.5 The relevant TNAC applied to noise-sensitive receptors in the vicinity of the Proposed Development are shown at Table A10.4.1 in **Technical Appendix 10.4**, which presents the lowest derived noise limits at each integer wind speed.

Site-Specific Noise Limits

A10.5.6 The derived SSNLs are shown at **Table A10.5.1** below, and it is intended that these noise limits will be applied to the Proposed Development via a suitably worded planning condition. Where compliance measurements are required at NSRs that are not listed in the table below, the limits from the nearest location where limits are available should normally be applied.

Table A10.5.1 Derived SSNLs for each NSR (dB L_{A90})

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR1	Best Friends Cottage	36.4	38.7	39.8	40.2	41.0	40.7	40.6	43.0
NSR2	Blacklaw Cottage	36.4	38.7	40.0	41.3	42.4	42.3	42.2	43.0

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR3	Blacklawhill Farm	36.4	38.0	38.7	40.0	41.1	40.7	40.3	43.0
NSR4	Blair Farm	36.4	38.7	40.1	41.1	42.0	41.9	41.9	43.0
NSR5	Corsehouse Cottage	36.4	38.7	40.3	41.6	42.6	42.6	42.6	43.0
NSR6	Corsehouse	36.4	38.7	40.2	41.5	42.5	42.5	42.4	43.0
NSR7	Crofthead of Gree Farm	36.4	38.7	40.3	41.5	42.5	42.4	42.4	43.0
NSR8	Dounne Law Cottage	36.4	38.7	40.0	41.3	42.4	42.3	42.2	43.0
NSR9	East Whitelee Farm	36.4	38.7	40.2	41.6	42.6	42.6	42.5	43.0
NSR10	Easter Blacklaw Farm	36.4	38.7	40.1	41.4	42.5	42.4	42.4	43.0
NSR11	Easterhouse of Whitelee	36.4	38.7	40.2	41.6	42.6	42.6	42.6	43.0
NSR12	Floak	36.4	38.7	40.1	41.1	42.1	42.0	42.0	43.0
NSR13	Glen-a-Moor	36.4	38.7	40.2	41.6	42.6	42.6	42.5	43.0
NSR14	Glenouther Farm	36.4	38.7	40.3	41.6	42.6	42.5	42.5	43.0
NSR15	Gree Cottage	36.4	38.7	40.3	41.5	42.4	42.3	42.3	43.0
NSR16	Greelaw Farm	36.4	38.7	40.3	41.5	42.5	42.5	42.4	43.0
NSR17	Greenfinch	36.4	38.7	40.1	41.1	42.1	42.0	42.0	43.0
NSR18	Hairshaw Cottage	36.4	38.7	40.4	41.7	42.8	42.8	42.7	43.0
NSR19	Harelaw Farm	36.4	38.7	40.1	41.0	41.9	41.7	41.7	43.0
NSR20	High Clunch Farm	36.4	38.7	40.3	41.6	42.6	42.5	42.5	43.0
NSR21	Highfield Farm	36.4	38.7	39.2	39.2	40.1	39.8	39.8	43.0
NSR22	Kelvedon Cottage	36.4	38.7	40.2	41.6	42.7	42.6	42.6	43.0
NSR23	Kingswell Farm	36.4	38.7	39.6	39.9	40.6	40.3	40.3	43.0
NSR24	Laverockhall Cottage	36.4	38.7	40.1	41.4	42.5	42.4	42.3	43.0
NSR25	Lintbrae Cottage	36.4	38.7	40.3	41.6	42.6	42.5	42.4	43.0
NSR26	Lintbrae Farm	36.4	38.7	40.3	41.6	42.6	42.5	42.5	43.0
NSR27	Low Blacklaw	36.4	38.7	39.9	41.2	42.3	42.1	42.0	43.0
NSR28	Lowtoun of Blacklaw Farm	36.4	38.7	39.8	41.1	42.2	42.1	42.0	43.0
NSR29	Marramead	36.4	38.7	40.1	41.0	42.0	41.9	41.9	43.0
NSR30	Meadowlands Farm	36.4	38.7	40.0	41.3	42.4	42.3	42.3	43.0
NSR31	Mid Floak Bungalow	36.4	38.7	40.1	41.1	42.1	42.0	42.0	43.0
NSR32	Mid Floak Farm	36.4	38.7	40.1	41.1	42.1	42.1	42.0	43.0

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR33	North Drumboy	36.4	38.7	40.1	41.1	42.1	42.0	42.0	43.0
NSR34	Owl Cottage Upper Hairshaw Farm	36.4	38.7	40.3	41.6	42.6	42.6	42.5	43.0
NSR35	Pebblebank East Whitelee	36.4	38.7	40.2	41.6	42.6	42.6	42.5	43.0
NSR36	Raithburn Farm	36.4	38.7	40.3	41.4	42.4	42.3	42.3	43.0
NSR37	Raithill Farm	36.4	38.7	40.2	41.3	42.3	42.1	42.1	43.0
NSR38	South Drumboy Farm	36.4	38.7	39.9	40.6	41.5	41.3	41.3	43.0
NSR39	Sunrise Lodge	36.4	38.7	40.1	41.0	42.0	42.0	41.9	43.0
NSR40	The Stables	36.4	38.7	40.1	41.1	42.1	42.0	42.0	43.0
NSR41	Townhead of Floak Bungalow	36.4	38.7	40.1	41.2	42.2	42.1	42.1	43.0
NSR42	Townhead Of Floak Farm	36.4	38.7	40.2	41.2	42.2	42.1	42.1	43.0
NSR43	Townhead of Gree Farm	36.4	38.7	40.3	41.5	42.5	42.4	42.4	43.0
NSR44	Upper Hairshaw Farm	36.4	38.7	40.3	41.6	42.6	42.6	42.5	43.0
NSR45	Windmill Cottage	36.4	38.7	40.2	41.6	42.7	42.6	42.6	43.0
NSR46	Windy-Yett Farm	36.4	38.7	40.3	41.6	42.6	42.6	42.6	43.0

Full Calculation Results

A10.5.7 The interim results used to calculate the SSNLs are shown in the following tables.

A10.5.8 **Table 10.5.2** shows the predicted operational noise levels from the other wind turbine developments including the additional 2 dB uplift on top of the already included uncertainty within the source sound power level data.

Table A10.5.2 Cumulative predicted noise levels (excluding Proposed Development) including additional margin for each NSR (dB L_{A90})

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR1	Best Friends Cottage	27.9	28.4	32.4	36.9	38.7	39.2	39.3	39.3
NSR2	Blacklaw Cottage	30.7	30.8	31.1	32.9	34.2	34.9	35.3	35.4
NSR3	Blacklawhill Farm	35.6	35.6	35.8	37.4	38.5	39.2	39.7	39.9
NSR4	Blair Farm	25.6	26.0	29.7	34.1	36.0	36.4	36.5	36.5
NSR5	Corsehouse Cottage	25.3	25.5	27.2	30.4	31.9	32.4	32.6	32.7
NSR6	Corsehouse	25.9	26.1	28.1	31.5	33.1	33.6	33.8	33.8
NSR7	Crofthead of Gree Farm	23.9	24.0	26.8	31.1	33.2	33.8	34.0	34.0
NSR8	Dounne Law Cottage	30.5	30.5	30.8	32.7	33.9	34.6	35.1	35.2
NSR9	East Whitelee Farm	27.8	27.8	28.4	30.6	32.0	32.7	33.0	33.2

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR10	Easter Blacklaw Farm	29.0	29.1	29.8	32.1	33.4	34.1	34.4	34.5
NSR11	Easterhouse of Whitelee	27.6	27.6	28.2	30.5	31.9	32.5	32.9	33.0
NSR12	Floak	24.2	25.7	30.0	34.3	35.8	36.2	36.2	36.2
NSR13	Glen-a-Moor	28.1	28.1	28.6	30.7	32.1	32.8	33.1	33.3
NSR14	Glenouther Farm	25.6	25.8	27.4	30.7	32.4	33.0	33.3	33.3
NSR15	Gree Cottage	24.7	24.8	27.3	31.7	34.0	34.7	34.9	34.9
NSR16	Greelaw Farm	23.7	24.0	26.9	31.2	33.2	33.7	33.9	33.9
NSR17	Greenfinch	24.3	25.8	30.1	34.3	35.9	36.3	36.3	36.3
NSR18	Hairshaw Cottage	22.4	22.5	24.2	27.7	29.6	30.3	30.5	30.6
NSR19	Harelaw Farm	26.3	26.7	30.3	34.7	36.6	37.1	37.2	37.2
NSR20	High Clunch Farm	23.3	23.5	26.1	30.4	32.5	33.2	33.3	33.3
NSR21	Highfield Farm	26.0	30.0	34.6	38.6	39.9	40.2	40.2	40.1
NSR22	Kelvedon Cottage	27.5	27.6	28.1	30.4	31.7	32.4	32.8	32.9
NSR23	Kingswell Farm	27.5	28.3	33.1	37.6	39.3	39.7	39.7	39.7
NSR24	Laverockhall Cottage	30.0	30.1	30.4	32.4	33.6	34.3	34.7	34.9
NSR25	Lintbrae Cottage	23.8	23.9	26.1	30.5	32.9	33.6	33.8	33.8
NSR26	Lintbrae Farm	23.8	23.9	26.0	30.4	32.8	33.5	33.7	33.7
NSR27	Low Blacklaw	31.4	31.4	31.9	33.8	35.0	35.7	36.1	36.2
NSR28	Lowtoun of Blacklaw Farm	31.7	31.7	32.1	34.0	35.2	35.9	36.3	36.5
NSR29	Marramead	24.2	25.9	30.2	34.5	36.1	36.4	36.4	36.4
NSR30	Meadowlands Farm	29.9	29.9	30.5	32.7	34.0	34.7	35.0	35.2
NSR31	Mid Floak Bungalow	24.2	25.6	29.9	34.2	35.7	36.1	36.1	36.1
NSR32	Mid Floak Farm	24.0	25.5	29.7	34.0	35.6	35.9	36.0	35.9
NSR33	North Drumboy	24.2	25.7	29.9	34.2	35.7	36.1	36.2	36.1
NSR34	Owl Cottage Upper Hairshaw Farm	26.3	26.4	27.6	30.5	32.1	32.8	33.0	33.1
NSR35	Pebblebank East Whitelee	27.8	27.9	28.4	30.6	32.0	32.7	33.0	33.2
NSR36	Raithburn Farm	24.4	24.6	27.6	31.9	33.9	34.5	34.6	34.6
NSR37	Raithill Farm	25.1	25.4	28.7	33.1	35.0	35.5	35.6	35.6
NSR38	South Drumboy Farm	26.3	27.3	31.6	36.0	37.7	38.1	38.1	38.1
NSR39	Sunrise Lodge	24.2	25.8	30.1	34.4	36.0	36.3	36.4	36.4

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR40	The Stables	24.2	25.8	30.0	34.3	35.9	36.2	36.3	36.2
NSR41	Townhead of Floak Bungalow	23.9	25.2	29.5	33.7	35.3	35.7	35.7	35.7
NSR42	Townhead Of Floak Farm	23.8	25.1	29.3	33.6	35.2	35.6	35.6	35.6
NSR43	Townhead of Gree Farm	24.2	24.4	26.9	31.4	33.6	34.2	34.4	34.4
NSR44	Upper Hairshaw Farm	26.4	26.5	27.6	30.5	32.2	32.8	33.1	33.1
NSR45	Windmill Cottage	27.7	27.7	28.3	30.5	31.8	32.5	32.9	33.0
NSR46	Windy-Yett Farm	23.4	23.9	26.5	30.3	32.0	32.4	32.6	32.6

A10.5.9 The derived night and day noise limits are shown at **Tables 10.5.3** and **10.5.4** below where the predicted operational noise levels from the other wind turbine developments have been logarithmically subtracted from the night and day TNAC.

Table A10.5.3 Derived remaining headroom night noise limits for each NSR (dB L_{A90})

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR1	Best Friends Cottage	42.9	42.8	42.6	41.8	41.0	40.7	40.6	44.3
NSR2	Blacklaw Cottage	42.7	42.7	42.7	42.6	42.4	42.3	42.2	45.1
NSR3	Blacklawhill Farm	42.1	42.1	42.1	41.6	41.1	40.7	40.3	44.1
NSR4	Blair Farm	42.9	42.9	42.8	42.4	42.0	41.9	41.9	44.9
NSR5	Corsehouse Cottage	42.9	42.9	42.9	42.8	42.6	42.6	42.6	45.3
NSR6	Corsehouse	42.9	42.9	42.9	42.7	42.5	42.5	42.4	45.2
NSR7	Crofthead of Gree Farm	42.9	42.9	42.9	42.7	42.5	42.4	42.4	45.2
NSR8	Dounne Law Cottage	42.7	42.7	42.7	42.6	42.4	42.3	42.2	45.1
NSR9	East Whitelee Farm	42.9	42.9	42.8	42.7	42.6	42.6	42.5	45.2
NSR10	Easter Blacklaw Farm	42.8	42.8	42.8	42.6	42.5	42.4	42.4	45.1
NSR11	Easterhouse of Whitelee	42.9	42.9	42.9	42.7	42.6	42.6	42.6	45.2
NSR12	Floak	42.9	42.9	42.8	42.4	42.1	42.0	42.0	45.0
NSR13	Glen-a-Moor	42.9	42.9	42.8	42.7	42.6	42.6	42.5	45.2
NSR14	Glenouther Farm	42.9	42.9	42.9	42.7	42.6	42.5	42.5	45.2
NSR15	Gree Cottage	42.9	42.9	42.9	42.7	42.4	42.3	42.3	45.1
NSR16	Greelaw Farm	42.9	42.9	42.9	42.7	42.5	42.5	42.4	45.2
NSR17	Greenfinch	42.9	42.9	42.8	42.4	42.1	42.0	42.0	44.9

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR18	Hairshaw Cottage	43.0	43.0	42.9	42.9	42.8	42.8	42.7	45.4
NSR19	Harelaw Farm	42.9	42.9	42.8	42.3	41.9	41.7	41.7	44.8
NSR20	High Clunch Farm	43.0	43.0	42.9	42.8	42.6	42.5	42.5	45.2
NSR21	Highfield Farm	42.9	42.8	42.3	41.0	40.1	39.8	39.8	44.0
NSR22	Kelvedon Cottage	42.9	42.9	42.9	42.8	42.7	42.6	42.6	45.3
NSR23	Kingswell Farm	42.9	42.9	42.5	41.5	40.6	40.3	40.3	44.2
NSR24	Laverockhall Cottage	42.8	42.8	42.8	42.6	42.5	42.4	42.3	45.1
NSR25	Lintbrae Cottage	42.9	42.9	42.9	42.7	42.6	42.5	42.4	45.2
NSR26	Lintbrae Farm	42.9	42.9	42.9	42.8	42.6	42.5	42.5	45.2
NSR27	Low Blacklaw	42.7	42.7	42.6	42.4	42.3	42.1	42.0	45.0
NSR28	Lowtoun of Blacklaw Farm	42.7	42.7	42.6	42.4	42.2	42.1	42.0	44.9
NSR29	Marramead	42.9	42.9	42.8	42.3	42.0	41.9	41.9	44.9
NSR30	Meadowlands Farm	42.8	42.8	42.7	42.6	42.4	42.3	42.3	45.1
NSR31	Mid Floak Bungalow	42.9	42.9	42.8	42.4	42.1	42.0	42.0	45.0
NSR32	Mid Floak Farm	42.9	42.9	42.8	42.4	42.1	42.1	42.0	45.0
NSR33	North Drumboy	42.9	42.9	42.8	42.4	42.1	42.0	42.0	45.0
NSR34	Owl Cottage Upper Hairshaw Farm	42.9	42.9	42.9	42.7	42.6	42.6	42.5	45.2
NSR35	Pebblebank East Whitelee	42.9	42.9	42.8	42.7	42.6	42.6	42.5	45.2
NSR36	Raithburn Farm	42.9	42.9	42.9	42.6	42.4	42.3	42.3	45.1
NSR37	Raithill Farm	42.9	42.9	42.8	42.5	42.3	42.1	42.1	45.0
NSR38	South Drumboy Farm	42.9	42.9	42.7	42.0	41.5	41.3	41.3	44.6
NSR39	Sunrise Lodge	42.9	42.9	42.8	42.4	42.0	42.0	41.9	44.9
NSR40	The Stables	42.9	42.9	42.8	42.4	42.1	42.0	42.0	45.0
NSR41	Townhead of Floak Bungalow	42.9	42.9	42.8	42.5	42.2	42.1	42.1	45.0
NSR42	Townhead Of Floak Farm	42.9	42.9	42.8	42.5	42.2	42.1	42.1	45.0
NSR43	Townhead of Gree Farm	42.9	42.9	42.9	42.7	42.5	42.4	42.4	45.1
NSR44	Upper Hairshaw Farm	42.9	42.9	42.9	42.7	42.6	42.6	42.5	45.2
NSR45	Windmill Cottage	42.9	42.9	42.9	42.7	42.7	42.6	42.6	45.2
NSR46	Windy-Yett Farm	43.0	42.9	42.9	42.8	42.6	42.6	42.6	45.3

Table A10.5.4 Derived remaining headroom day noise limits (dB L_{A90}) for each NSR

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR1	Best Friends Cottage	36.4	38.7	39.8	40.2	41.1	42.5	44.2	46.1
NSR2	Blacklaw Cottage	36.4	38.7	40.0	41.3	42.5	43.7	45.0	46.6
NSR3	Blacklawhill Farm	36.4	38.0	38.7	40.0	41.3	42.5	44.0	45.9
NSR4	Blair Farm	36.4	38.7	40.1	41.1	42.2	43.4	44.8	46.5
NSR5	Corsehouse Cottage	36.4	38.7	40.3	41.6	42.8	43.9	45.2	46.7
NSR6	Corsehouse	36.4	38.7	40.2	41.5	42.6	43.8	45.1	46.7
NSR7	Crofthead of Gree Farm	36.4	38.7	40.3	41.5	42.6	43.8	45.1	46.7
NSR8	Dounne Law Cottage	36.4	38.7	40.0	41.3	42.5	43.7	45.0	46.6
NSR9	East Whitelee Farm	36.4	38.7	40.2	41.6	42.7	43.9	45.1	46.7
NSR10	Easter Blacklaw Farm	36.4	38.7	40.1	41.4	42.6	43.8	45.0	46.6
NSR11	Easterhouse of Whitelee	36.4	38.7	40.2	41.6	42.8	43.9	45.1	46.7
NSR12	Floak	36.4	38.7	40.1	41.1	42.2	43.5	44.8	46.5
NSR13	Glen-a-Moor	36.4	38.7	40.2	41.6	42.7	43.9	45.1	46.7
NSR14	Glenouther Farm	36.4	38.7	40.3	41.6	42.7	43.9	45.1	46.7
NSR15	Gree Cottage	36.4	38.7	40.3	41.5	42.5	43.7	45.0	46.6
NSR16	Greelaw Farm	36.4	38.7	40.3	41.5	42.6	43.8	45.1	46.7
NSR17	Greenfinch	36.4	38.7	40.1	41.1	42.2	43.4	44.8	46.5
NSR18	Hairshaw Cottage	36.4	38.7	40.4	41.7	42.9	44.0	45.3	46.8
NSR19	Harelaw Farm	36.4	38.7	40.1	41.0	42.0	43.3	44.7	46.4
NSR20	High Clunch Farm	36.4	38.7	40.3	41.6	42.7	43.8	45.1	46.7
NSR21	Highfield Farm	36.4	38.7	39.2	39.2	40.3	42.0	43.8	45.9
NSR22	Kelvedon Cottage	36.4	38.7	40.2	41.6	42.8	43.9	45.2	46.7
NSR23	Kingswell Farm	36.4	38.7	39.6	39.9	40.8	42.3	44.0	46.0
NSR24	Laverockhall Cottage	36.4	38.7	40.1	41.4	42.6	43.7	45.0	46.6
NSR25	Lintbrae Cottage	36.4	38.7	40.3	41.6	42.7	43.8	45.1	46.7
NSR26	Lintbrae Farm	36.4	38.7	40.3	41.6	42.7	43.8	45.1	46.7
NSR27	Low Blacklaw	36.4	38.7	39.9	41.2	42.4	43.5	44.9	46.5
NSR28	Lowtoun of Blacklaw Farm	36.4	38.7	39.8	41.1	42.3	43.5	44.8	46.5
NSR29	Marramead	36.4	38.7	40.1	41.0	42.1	43.4	44.8	46.5

ID	Location	Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
NSR30	Meadowlands Farm	36.4	38.7	40.0	41.3	42.5	43.7	45.0	46.6
NSR31	Mid Floak Bungalow	36.4	38.7	40.1	41.1	42.2	43.5	44.9	46.5
NSR32	Mid Floak Farm	36.4	38.7	40.1	41.1	42.2	43.5	44.9	46.5
NSR33	North Drumboy	36.4	38.7	40.1	41.1	42.2	43.5	44.8	46.5
NSR34	Owl Cottage Upper Hairshaw Farm	36.4	38.7	40.3	41.6	42.7	43.9	45.1	46.7
NSR35	Pebblebank East Whitelee	36.4	38.7	40.2	41.6	42.7	43.9	45.1	46.7
NSR36	Raithburn Farm	36.4	38.7	40.3	41.4	42.5	43.7	45.0	46.6
NSR37	Raithill Farm	36.4	38.7	40.2	41.3	42.4	43.6	44.9	46.6
NSR38	South Drumboy Farm	36.4	38.7	39.9	40.6	41.6	43.0	44.5	46.3
NSR39	Sunrise Lodge	36.4	38.7	40.1	41.0	42.2	43.4	44.8	46.5
NSR40	The Stables	36.4	38.7	40.1	41.1	42.2	43.5	44.8	46.5
NSR41	Townhead of Floak Bungalow	36.4	38.7	40.1	41.2	42.3	43.5	44.9	46.6
NSR42	Townhead Of Floak Farm	36.4	38.7	40.2	41.2	42.3	43.6	44.9	46.6
NSR43	Townhead of Gree Farm	36.4	38.7	40.3	41.5	42.6	43.7	45.0	46.6
NSR44	Upper Hairshaw Farm	36.4	38.7	40.3	41.6	42.7	43.9	45.1	46.7
NSR45	Windmill Cottage	36.4	38.7	40.2	41.6	42.8	43.9	45.1	46.7
NSR46	Windy-Yett Farm	36.4	38.7	40.3	41.6	42.7	43.9	45.2	46.7